




High
Performance
Delivered



Proud to make in India

www.ryextrusion.com

Company

- **Aluminium Alloy Sections:** Manufacture 5mm to 125mm cross sectional diameter profiles for industrial and commercial use
- **Mumbai:** Operate three million dollar 100,000 sqft automated manufacturing facility located near Mumbai
- **Data Driven–Quality Focused:** Practice precision manufacturing using latest technology to provide best quality




Product and Services

- **50 Industrial SKUs:** Serve a mix of HVAC, pharmaceutical, furniture, marketing displays and electrical panel industry
- **445 Commercial SKUs:** Supply doors, windows and construction industry with 90 profiles in 5 different weight ranges
- **Value Added Services:** Provide additional services such as die design, die development, color anodizing, customized size etc.

We produce world class aluminium profiles using precision manufacturing technology


FILTER/AC GRILL PROFILE'S

2651




Wt: 0.170-0.185 KG/M

2652




Wt: 0.200-0.230 KG/M

2653




Wt: 0.140-0.150 KG/M

2654




Wt: 0.295-0.340 KG/M

2655




Wt: 0.275-0.310 KG/M

2656




Wt: 0.715-0.785 KG/M

2657




Wt: 0.860-0.940 KG/M

2658




Wt: 2.820 KG/M

2659




Wt: 4.650 KG/M

2660




Wt: 0.375-0.400 KG/M

2661




Wt: 0.515-0.545 KG/M

2662




Wt: 0.630-0.665 KG/M

2663




Wt: 1.340-1.480 KG/M

2664




Wt: 1.835 KG/M

2665




Wt: 0.195 KG/M

2666




Wt: 0.300 KG/M

9311




Wt: 0.300-0.400 KG/M

9312




Wt: 0.420-0.465 KG/M

9313




Wt: 0.345-0.380 KG/M

9314




Wt: 0.190-0.230 KG/M

2681




Wt: 0.140-0.180 KG/M

9331




Wt: 0.66 KG/M

9332




Wt: 0.325 KG/M

9333



Wt: 0.190 KG/M


9334



Wt: 0.100KG/M


AHU PROFOLE'S

9101




Wt: 0.230 KG/M

9102




Wt: 0.480 KG/M

9103




Wt: 0.700 KG/M

9104




Wt: 0.920 KG/M

9105




Wt: 0.800 KG/M

9106




Wt: 0.285 KG/M

9107




Wt: 0.740 KG/M

9108




Wt: 1.030 KG/M

9109




Wt: 0.920KG/M

9110




Wt: 0.560-0.615 KG/M

9111




Wt: 0.960-1.050 KG/M

9112




Wt: 0.640-0.680 KG/M

9113




Wt: 0.740-0.790 KG/M

9114



Wt: 0.300-0.320 KG/M


9115



Wt: 0.860-0.900 KG/M


CLEAN ROOM PROFILE'S

1801




Wt: 0.440 KG/M

1802




Wt: 0.480 KG/M

1803




Wt: 0.340 KG/M

1804




Wt: 0.250 KG/M

1805




Wt: 0.771 KG/M

ST-01




Wt: 0.672 KG/M

ST-02




Wt: 0.489 KG/M

ST-03




Wt: 0.300 KG/M

ST-04




Wt: 0.660 KG/M

ST-06




Wt: 0.480 KG/M

ST-05




Wt: 0.417 KG/M

ST-08




Wt: 0.086 KG/M

ST-07




Wt: 0.440 KG/M

ST-10




Wt: 0.469 KG/M

1805




Wt: 0.625 KG/M

ST-11




Wt: 0.275 KG/M

9951




Wt: 1.510 KG/M

2601




Wt: 0.650 KG/M

2602




Wt: 0.520 KG/M

2603




Wt: 1.260 KG/M

2604




Wt: 1.100 KG/M

2605




Wt: 0.770 KG/M

2606



Wt: 0.650 KG/M

2607



Wt: 0.460 KG/M

